

## VAN DAMME VDM 19 POLE CIRCULAR SPEAKER/LIGHTING MULTIPINS



Van Damme VDM 19 pole connectors are robust, tour grade connectors for high current speaker and 6 circuit lighting power applications. They feature heavy duty machined locking rings for ease of mating, anti-rotational grub screw and insert to prevent internal wiring damage and protective forward mounted earth contacts. They are compatible with Socapex and other manufacturers' 419 series connectors.

### Part Numbers and Description

369-419-103	VDM 19 pole cable male silver solder contacts
369-419-113	VDM 19 pole cable female silver solder contacts
369-419-200	VDM 19 pole panel male silver solder contacts
369-419-210	VDM 19 pole panel female silver solder contacts

## Applications

- 19 pole connector for high current speaker and lighting power applications
- For multicore and breakout assemblies

## Application Notes


- Compatible with other manufacturers' 419 series bayonet connectors
- Anti-rotational grub screw and insert to prevent internal wiring damage
- IP67 protection when mated

## Specification


Insert material	Chloroprene rubber (neoprene)
Connector body	Aluminium alloy with resistive paint
Cable gland	Plastic compression M40, 19-28 mm
Operating voltage	500 Vdc, 7000 Vac
Flashover voltage	2800 Vac
Peak current	41 A
Rated current	23 A

## Connector Dimensions and Cut Outs


369-419-210  
Panel Female



369-419-200  
Panel male



Panel Cut Out



SEE NO EVIL HEAR NO EVIL

369-419-103 Cable Male 369-419-113 Cable Female

